



STEELN

DOOR HANDLES & HARDWARE

Architectural · Bathroom · Glass · Canopy

STEEL AND CO.LTD

KOREA

DOOR HANDLES & HARDWARE

CONTENTS

Architectural door handles and hardware

01	Architectural hardware	004
	Introduction & applications	004
	Decorative door pulls	006
	Tubular & curved collections	025
	Rectangular & linear pulls	044
	Colour & wood grips	063
	Sculptural collections	080
	Mounting systems	097
	Material codes	107
	Levers, knobs & locking	114
	Hardware reference	130

CONTENTS

Bathroom, glass and canopy systems

02	Bathroom & glass hardware	131
	Bathroom introduction	131
	Pulls & towel bars	133
	Finger pulls & knobs	145
	Bathroom accessories	156
	Shower systems	160
	Bracing & fixing bars	176
	Shower hinges	184
	Glass clamps	190
	Sealing-strip profiles	197
	Interior & sliding glass	202
	Care & support rails	214
	Canopies & glass connections	225
03	Contact	237

BRILLIANT BY DESIGN

Architectural door hardware



TEXTURE AT THE ENTRANCE

Rope-detail handles / Door Handle series



Woven texture meets the clean lines of a glazed entrance.



COLLECTION MARKS AS SHOWN IN SOURCE

WOVEN DOOR PULLS

Models, finishes and dimensions / 1 of 2


HB-753



FINISHES / DIMENSIONS



HB-754



FINISHES / DIMENSIONS



WOVEN DOOR PULLS

Models, finishes and dimensions / 2 of 2

HB-755B




FINISHES / DIMENSIONS

HB-755B

饰面： 抛光 + 编织藤
Finishes: PC+WVR

规格 /Size:
L(A:550 B:600 C:Φ35 D:74)



HB-757




FINISHES / DIMENSIONS

HB-757

饰面： 抛光 + 编织藤
Finishes: PC+WVR

规格 /Size:
S(A1:679 A2:612 A3:679 B:2000
C:Φ35 D:74)
L(A1:879 A2:612 A3:879 B:2400
C:Φ51 D:91)



INLAY & ORNAMENT

Models, finishes and dimensions / 1 of 2

HB-740



FINISHES / DIMENSIONS



HB-817



FINISHES / DIMENSIONS



INLAY & ORNAMENT

Models, finishes and dimensions / 2 of 2

HB-708



FINISHES / DIMENSIONS

HB-708

饰面：哑光青古铜 + 烟雨朦胧 红古铜 + 夜玫瑰
 Finishes: SAB+MR RB+NR

规格 /Size:
 L(A:350 B:500 C:30X250)



CLASSICAL DOOR PULLS

Models, finishes and dimensions / 1 of 2

HB-769




FINISHES / DIMENSIONS

HB-769

饰面：钛金
Finishes: Ti

规格 /Size:
L(A:314.5 B:425 C:23 D:80)



HB-667B



FINISHES / DIMENSIONS

HB-667B

饰面：钛金
Finishes: Ti

规格 /Size:
L(A:645 B:690 C:38)



CLASSICAL DOOR PULLS

Models, finishes and dimensions / 2 of 2

HB-592



FINISHES / DIMENSIONS

HB-592

饰面： 哑光青古铜 钛金 + 水晶
Finishes: SAB TI+CR

规格 /Size:
L(A:635 B:650 C:38 D:130)



HB-535




FINISHES / DIMENSIONS

HB-535

饰面： 钛金 + 水晶
Finishes: TI+CR

规格 /Size:
L(A:1000 B:1500 C:80 D:140)



ART & EVERYDAY LIFE

Show the combination of art and life

HB-510A




FINISHES / DIMENSIONS

HB-510A

饰面： 钛金
Finishes: TI

规格 /Size:
L(A:898 B:1200 C:Φ38 D:94)



HB-662B



FINISHES / DIMENSIONS

HB-662B

饰面： 钛黑 + 水晶
Finishes: TB+CR

规格 /Size:
L(A1+A2:780+780 B:1960 C:80)



CRAFTED IN DETAIL

Original collection photography



TWO EXPRESSIONS

Models, finishes and dimensions

HB-2076-Ba



FINISHES / DIMENSIONS

HB-2076-Ba

饰面: 哑光青古铜	红古铜
Finishes: SAB	RB

规格 /Size:

L(A:520 B:800 C:38 D:93)

XL(A:642 B:1000 C:51 D:122)

HB-779



FINISHES / DIMENSIONS

HB-779

饰面: 砂光 + 镜光 + 钛黑
Finishes: BSN+PC+TB

规格 /Size:

L(A1:783 A2:401 A3:783 B:2000 C:Φ38 D:81.5)

PRECISION AT THE MOUNT

Original collection photography



PATTERNED PLATE PULLS

Models, finishes and dimensions

HB-515



FINISHES / DIMENSIONS

HB-515

饰面:	钛金	砂光	RSB	CPB
Finishes:	TI	BSN	RSB	CPB

规格 /Size:

L1(A:500 B:800 C:20X120 D:80)

L2(A:800 B:1200 C:20X120 D:80)



PATTERN AT THE ENTRANCE

Original collection photography




GEOMETRY & FILIGREE

Models, finishes and dimensions / 1 of 2

HB-616



HB-606



FINISHES / DIMENSIONS

HB-616

饰面：红古铜 + 啡色皮

Finishes: RB+BRL

规格 /Size:

L(A:565 B:1000 C:10X150 D:60)



FINISHES / DIMENSIONS


HB-606

饰面：哑光青古铜 红古铜

Finishes: SAB RB

规格 /Size:

L(A:130 B:400 C:220X10 D:60)



GEOMETRY & FILIGREE

Models, finishes and dimensions / 2 of 2

HB-533



FINISHES / DIMENSIONS


HB-533

饰面： 哑黑

Finishes: MB


规格 /Size:

L(A:300 B:379 C:175)





CYLINDRICAL MOUNTS

Choose what you like / Mounting variations



CYLINDRICAL MOUNTS

Choose what you like / Mounting variations



SCULPTED TEXTURE

Models, finishes and dimensions

HB652 / Leopard



FINISHES / DIMENSIONS

HB652		Leopard	
Size	L	C/C	Φ
500xΦ32	500	400	32

TEXTURE IN CLOSE-UP

Original collection photography



AN EVERYDAY WELCOME

Original collection photography



A MEASURED RANGE

Models, finishes and dimensions

HB347



FINISHES / DIMENSIONS

HB347

45° offset base basic type

Φ38/25 Φ32/25

Mirror / Edelstahl matt / Dual Finish

Size	L	C/C	Φ
400xΦ32	400	150	32
600xΦ32	600	350	32
800xΦ32	800	500	32
1200xΦ32	1200	900	32

HB112



FINISHES / DIMENSIONS

HB112

Straight base basic type

Φ38/32 Φ32/25 Φ25/19

Mirror / Edelstahl matt / Dual Finish

Size	L	C/C	Φ
1200xΦ25	1200	300	25
1500xΦ30	1500	350	30
1800xΦ32	1800	400	32
2000xΦ35	2000	450	35
2200xΦ40	2200	500	40
2500xΦ51	2500	600	51
3000	3000	750	—
3500	3500	900	—

AN ARCHITECTURAL LINE

Long pull handles in glazed entrances



A CLEAR WELCOME


Original entrance application



TUBULAR & OFFSET

Models, finishes and dimensions / 1 of 2

HB572 / Ladder Eco



FINISHES / DIMENSIONS

HB572 Ladder Eco					
Material: Stainless steel					
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Rose Gold					
Size	L	C/c	Ø	Weight	
795xØ32	795	600	32	Gross: 1,5kg	

HB378



FINISHES / DIMENSIONS

HB378			
Material: Stainless steel			
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Rose Gold			
L	C/c	Ø	Weight
450	250	32	
600	400	32	

HB377




FINISHES / DIMENSIONS

HB377			
Material: Stainless steel			
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Rose Gold			
L	C/c	Ø	Weight
450	250	32	
600	400	32	

TUBULAR & OFFSET

Models, finishes and dimensions / 2 of 2

HB347



FINISHES / DIMENSIONS

HB347

Material: Stainless steel

Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
600	400	32

HB112



FINISHES / DIMENSIONS

HB112

Material: Stainless steel

Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
600	400	32

HB464



FINISHES / DIMENSIONS

HB464

Material: Stainless steel

Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
600	400	32

FLEXIBLE CONNECTIONS

Original collection photography



TUBULAR DETAIL


Original collection photography



MOUNTING EXPRESSIONS


Models, finishes and dimensions / 1 of 3

HB456




FINISHES / DIMENSIONS

HB469



FINISHES / DIMENSIONS

HB332



FINISHES / DIMENSIONS

HB456

Material: Stainless steel

Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Rose Gold

L	C/C	Φ
600	480	32

HB469

Material: Stainless steel

Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Rose Gold

L	C/C	Φ
600	425	32

HB332

Material: Stainless steel


Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Rose Gold

L	C/C	Φ	Φ ₁
910	500	38	45.5

MOUNTING EXPRESSIONS

Models, finishes and dimensions / 2 of 3

HB241



FINISHES / DIMENSIONS

HB241

Material: Stainless steel

Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Rose Gold

L	C/C	Ø
300	225	25
450	375	25
600	450	32

HB242



FINISHES / DIMENSIONS


HB242

Material: Stainless steel

Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Rose Gold

L	C/C	Ø
300	225	25
450	375	25
600	450	32

HB388



FINISHES / DIMENSIONS

HB388

Material: Stainless steel


Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Rose Gold

L	C/C	Ø
600	500	32

MOUNTING EXPRESSIONS

Models, finishes and dimensions / 3 of 3

HB249



FINISHES / DIMENSIONS

HB249

Material: Stainless steel

Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
740	700	38
1240	1200	38

HB248



FINISHES / DIMENSIONS

HB248

Material: Stainless steel

Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
1200	800	38

DESIGN IN CLEAR LINES

Models, finishes and dimensions


HB245



FINISHES / DIMENSIONS

HB245		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Rose Gold		
L	C/c	Φ
400	200	25
600	300	38

HB303



FINISHES / DIMENSIONS

HB303		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Rose Gold		
L	C/c	Φ
600	300	32
800	500	32

HB493



FINISHES / DIMENSIONS

HB493		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Rose Gold		
L	C/c	Φ
700	600	38

CLEAR LINES IN PLACE

Original collection photography



DESIGN STATEMENT

Original English and Chinese collection text

With unique design, simple and clear lines, elegant design is not limited by any time and trend. Don't look worldly, make your hands full of charm.

拥有匠心独具的设计，简约明朗的线条，高雅的设计不受任何时代与潮流限制。别于世俗眼光的风采，使拉手充满魅力。



CURVED & STRAIGHT

Models, finishes and dimensions

HB133



FINISHES / DIMENSIONS

HB133
Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

100	25	100	25	100	25
100	25	100	25	100	25
100	25	100	25	100	25

HB220



FINISHES / DIMENSIONS

HB220
Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

100	25	100	25	100	25
100	25	100	25	100	25
100	25	100	25	100	25

A VISIBLE CONNECTION


Original collection photography



LONG-FORM DETAIL

Models, finishes and dimensions

HB530



FINISHES / DIMENSIONS

HB530
Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold



HB318



FINISHES / DIMENSIONS

HB318
Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c (1)	C/c (2)	Φ
1800	750	1768	12



HB573



FINISHES / DIMENSIONS

HB573
Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
450	350	31x17.5
600	400	31x17.5
900	600	31x17.5

THE MOUNTING DETAIL

Original collection photography



CURVES IN STEEL

Models, finishes and dimensions

HB113



FINISHES / DIMENSIONS


HB113
Ø25,100710,32,4012,4818

Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Rose Gold

L	C/C	Φ
330	325	25
450	425	25
600	515	25
822	800	32
137	305	32
432	400	32
452	450	32

Diagram showing dimensions L, C/C, and Φ for the HB113 pull.

HB140



FINISHES / DIMENSIONS

HB140

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Rose Gold

L	C/C	Φ
382	350	32

Diagram showing dimensions L, C/C, and Φ for the HB140 pull.

HB144



FINISHES / DIMENSIONS

HB144

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Rose Gold

L	C/C	Φ
382	350	32
332	300	32

Diagram showing dimensions L, C/C, and Φ for the HB144 pull.

FUNCTION & AESTHETIC

Original collection photography



SOFT RECTANGULAR LINES

Original heading: DOOR HANDLE / Caption

HB113-JP



FINISHES / DIMENSIONS

HB113-JP
Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Rose Gold

L	C/c	Φ	
450	425	25	13
477	450	27	15
600	575	25	33
627	600	27	35

HB113-JB



FINISHES / DIMENSIONS

HB113-JB
Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Rose Gold

L	C/c	Φ	
152	171	19	6.1
300	275	25	10
450	425	25	25
450	418	32	30.1
600	568	38	37.5

DOOR HANDLE DETAILS


Original collection photography



CURVED PULL COLLECTION

Models, finishes and dimensions / 1 of 3

HB152



FINISHES / DIMENSIONS

HB152		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Rose Gold		
L	C/C	Φ
300	275	25
450	418	32
600	568	32
1238	1200	38
2038	2000	38

HB143 / long bow



FINISHES / DIMENSIONS

HB143		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Rose Gold		
L	C/C	Φ
300	275	32
450	418	32
600	568	32
1238	1200	38
2038	2000	38

HB143 / paired bow



FINISHES / DIMENSIONS

HB143		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Rose Gold		
L	C/C	Φ
330	305	25
450	418	32
600	568	32
1238	1200	38
2038	2000	38

CURVED PULL COLLECTION

Models, finishes and dimensions / 2 of 3

HB136



FINISHES / DIMENSIONS

HB136					
Material: Stainless steel					
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Rose Gold / Nickel / PVD					
L	C/C	Ø	W	H	
450	425	25	42.5	42	
600	568	32	45.2	42	

HB163



FINISHES / DIMENSIONS

HB163					
Material: Stainless steel					
Finish: Satin / Dual Finish / Shiny / PVD Shiny / PVD Shiny / PVD Rose Gold / Nickel / PVD					
L	C/C	Ø	W	H	
550	400	32	45.2	42	
600	400	32	45.2	42	

HB141



FINISHES / DIMENSIONS

HB141					
Material: Stainless steel					
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Rose Gold					
L	C/C	Ø	W	H	
200	175	25	42.5	42	

CURVED PULL COLLECTION

Models, finishes and dimensions / 3 of 3

HB162 / compact



HB152 / bent tube



HB162 / curved



FINISHES / DIMENSIONS

HB162		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Rose Gold		
L	C/C	Φ
200	175	25

FINISHES / DIMENSIONS

HB152				
Bended tube - basic				
type Ø32				
Mirror / Edelstahl matt / Dual Finish / ...				
L	C/C	Φ	W	H
450	425	25	35	11
600	568	32	47	21
1200	1162	38	61	71


FINISHES / DIMENSIONS

HB162		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Rose Gold		
L	C/C	Φ
382	350	32

TALL LOOP HANDLES

Models, finishes and dimensions

HB373



FINISHES / DIMENSIONS

HB373

Material: Stainless steel

Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c (1)	C/c (2)	Φ
1800	900	900	38

HB151



FINISHES / DIMENSIONS

HB151

Material: Stainless steel

Finish: Satin / Dual Finish / Shiny / PVD Satin
PVD Shiny / PVD Pose Gold

L	C/c	Φ
1300	1262	38

LONG LINES AT THE ENTRANCE

Original collection photography



SQUARE-SECTION PULLS

Models, finishes and dimensions

HB548



FINISHES / DIMENSIONS

HB548

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Rose Gold

L	C/C	Ø
1200	1175	25x25
1200	1170	30x30

HB629




FINISHES / DIMENSIONS

HB629

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Rose Gold

L	C/C	Ø
600	580	40x40
1000	980	40x40

HB648



FINISHES / DIMENSIONS

HB648

Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Rose Gold

L	C/C	Ø
600	400	40x40
800	500	40x40

LINEAR PRECISION

Original collection photography



RECTANGULAR PROFILE

Models, finishes and dimensions

HB593



FINISHES / DIMENSIONS

HB593

Material:

Stainless steel

Finish:

Satin / Dual Finish /
Shiny / PVD Satin /PVD Shiny
/ PVD Rose Gold

L	C/c	□
420	400	40x25
620	600	40x25
820	800	40x25
1520	1500	40x25

PROFILE & PROJECTION

Original collection photography



END-CAP DETAIL

Original collection photography



RECTANGULAR DOOR PULLS

Models, finishes and dimensions / 1 of 2

HB468



FINISHES / DIMENSIONS

HB468		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/c	□
600	400	25x13

HB291



FINISHES / DIMENSIONS

HB291		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/c	□
450	425	25x25

RECTANGULAR DOOR PULLS

Models, finishes and dimensions / 2 of 2

HB545



FINISHES / DIMENSIONS

HB545		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Rose Gold		
L	C/C	□
450	300	25x25
600	400	25x25
600	400	30x30
800	600	30x30
1000	800	30x30

HB126



FINISHES / DIMENSIONS

HB126		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Rose Gold		
L	C/C	□
600	400	30x15
800	500	38x25

A STRONG CONNECTION

Original collection photography



STRAIGHT & OFFSET

Models, finishes and dimensions / 1 of 3

HB550



FINISHES / DIMENSIONS

HB550		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Rose Gold		
L	C/c	□
450	300	40x10
600	400	40x10
800	500	40x10
1000	800	40x10

HB175



FINISHES / DIMENSIONS

HB175		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Rose Gold		
L	C/c	□
1180	1180	38x25

HB199



FINISHES / DIMENSIONS

HB199		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Rose Gold		
L	C/c	□
1200	1162	38x25

STRAIGHT & OFFSET

Models, finishes and dimensions / 2 of 3

HB560



FINISHES / DIMENSIONS

HB560				
Material: Stainless steel				
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Rose Gold				
L	€/c	□		
332	300	20x20	1/2"	
632	600	20x20	1/2"	
832	800	20x20	1/2"	
1032	1000	20x20	1/2"	
1532	1500	20x20	1/2"	

HB631



FINISHES / DIMENSIONS

HB631				
Material: Stainless steel				
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Rose Gold				
L	€/c	□		
600	500	25x50	1 1/4"	
1200	1000	25x50	1 1/4"	
1500	1200	25x50	1 1/4"	

STRAIGHT & OFFSET

Models, finishes and dimensions / 3 of 3

HB590



FINISHES / DIMENSIONS

HB590			
Material: Stainless steel			
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold			
L	C/C	□	⌀
400	300	40x10	12.5
550	450	40x14	13.5
800	500	40x14	12.5

HB590-TILT



FINISHES / DIMENSIONS

HB590-TILT			
Material: Stainless steel			
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold			
L	C/C	□	⌀
400	300	40x10	12.5
550	450	40x10	12.5
800	500	40x14	12.5

RECTANGULAR PULLS IN PLACE

Original collection photography



COLOUR AT THE GRIP

HB238-JB / Inset colour and surface detail



ORIGINAL COLLECTION CLAIM



FINISHES / DIMENSIONS

HB238-JB		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/c	Φ
600	575	30

Deep Appearance From The Taste Of Life

GRIP & SURFACE DETAIL

Original collection photography



WOOD-GRIP COLLECTION

Models, finishes and dimensions / 1 of 3

HB237



FINISHES / DIMENSIONS

HB237		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/c	Φ
900	660	50.8
1200	1160	50.8

HB250



FINISHES / DIMENSIONS

HB250		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/c	Φ
800	500	38
1200	800	38

HB321



FINISHES / DIMENSIONS

HB321		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/c	Φ
600	450	40

WOOD-GRIP COLLECTION

Models, finishes and dimensions / 2 of 3

HB322




FINISHES / DIMENSIONS

HB226



FINISHES / DIMENSIONS

HB335



FINISHES / DIMENSIONS

HB322			
Material: Stainless steel			
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold			
L	C/c	Φ	Weight (kg)
600	425	12	0.45

HB226			
Material: Stainless steel			
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold			
L	C/c	Φ	Weight (kg)
450	300	12	0.25

HB335			
Material: Stainless steel			
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold			
L	C/c	Φ	Weight (kg)
450	325	12	0.28
600	425	12	0.45

WOOD-GRIP COLLECTION

Models, finishes and dimensions / 3 of 3

HB181



FINISHES / DIMENSIONS

HB181			
Material: Stainless steel			
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold			
L	C/C	Φ	Accessories
300	120	25	25x12x125
300	180	30	25x12x180

HB273



FINISHES / DIMENSIONS

HB273			
Material: Stainless steel			
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold			
L	C/C	Φ	Accessories
300	120	25	25x12x125
300	180	34	25x12x180

WARM MATERIAL DETAIL

Original collection photography



Bold lines are the rigidity of life

WOOD MEETS METAL

Models, finishes and dimensions / 1 of 2

HB195



FINISHES / DIMENSIONS

HB195
Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin /PVD Shiny / PVD Pose Gold

L	C	c
500	195	30x30
800		38x38

HB257



FINISHES / DIMENSIONS

HB257
Material: Stainless steel
Finish: Satin / Dual Finish / Shiny / PVD Satin /PVD Shiny / PVD Pose Gold

L	C	c
500	257	30x30
800		38x38

WOOD MEETS METAL

Models, finishes and dimensions / 2 of 2

HB391



FINISHES / DIMENSIONS

HB391		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold		
L	C	C
600	425	40x20

HB196



FINISHES / DIMENSIONS

HB196		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold		
L	C	C
500	470	30x30
600	562	38x38

A WARM WELCOME

Original collection photography



WARM-GRIP RANGE

Models, finishes and dimensions / 1 of 2

HB258



FINISHES / DIMENSIONS

HB258		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold		
L	C/c	Φ
450	425	25
800	775	25

HB228



FINISHES / DIMENSIONS

HB228			
Material: Stainless steel			
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold			
L	C/c (1)	C/c (2)	Φ
1000	425	425	38

HB311



FINISHES / DIMENSIONS

HB311		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold		
L	C/c	Φ
1300	900	38

WARM-GRIP RANGE

Models, finishes and dimensions / 2 of 2

HB310



FINISHES / DIMENSIONS

HB310		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/c	□
1500	1450	40x20
300	225	30x15

HB331



FINISHES / DIMENSIONS

HB331			
Material: Stainless steel			
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold			
L	C/c (1)	C/c (2)	Φ
1800	700	724	32

FULL-HEIGHT ACCENTS

Models, finishes and dimensions

HB645



FINISHES / DIMENSIONS

HB645			
Material: Stainless steel			
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Rose Gold			
L	C/C (1)	C/C (2)	Φ
2000	860	860	32

FULL-HEIGHT ENTRANCE

Original collection photography



MATERIAL IN APPLICATION

Original collection photography



TWO-TONE LONG PULLS

Models, finishes and dimensions

HB239



FINISHES / DIMENSIONS

HB239		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/c	Φ
1500	900	38

HB649



FINISHES / DIMENSIONS

HB649		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/c	Φ
1500	900	38

INSET LONG PULLS

Models, finishes and dimensions


HB650



FINISHES / DIMENSIONS

HB650				
Material: Stainless steel				
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Rose Gold				
L	C/c (1)	C/c (2)	C/c (3)	Φ
2230	500	1200	500	32

HB651



FINISHES / DIMENSIONS

HB651				
Material: Stainless steel				
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Rose Gold				
L	C/c (1)	C/c (2)	C/c (3)	Φ
2000	550	600	550	32

INSET MATERIAL DETAIL

Original collection photography



SCULPTURAL FINIALS

Models, finishes and dimensions


HB301



FINISHES / DIMENSIONS

HB301		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/c	Φ
1500	880	45

HB288 / Art



FINISHES / DIMENSIONS

HB288 Art		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/c	Φ
1500	923	45

HB287 / Torch



FINISHES / DIMENSIONS

HB287 Torch		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/c	Φ
1500	900	45

TORCH IN DETAIL

Original collection photography



CLASSICAL SILHOUETTES

Models, finishes and dimensions

HB286



FINISHES / DIMENSIONS

HB286		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/c	Φ
1300	1000	32
1100	800	32

HB484



FINISHES / DIMENSIONS

HB484		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/c	Φ
1200	600	50

ORNAMENT IN DETAIL

Original collection photography



SCULPTED WAVES

Models, finishes and dimensions

HB344 / Earrings



FINISHES / DIMENSIONS

HB344 Earrings	
Material: Stainless steel	
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold	
L	C/C
530	500

HB502 / Ripple




FINISHES / DIMENSIONS

HB502 Ripple	
Material: Stainless steel	
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold	
L	C/C
550	200
310	115

EARRINGS IN DETAIL

Original collection photography



Let you feel the essence of
oriental verve

RIPPLE IN DETAIL

Original collection photography



ORNAMENTAL COLLECTION

Models, finishes and dimensions / 1 of 3

HB505



FINISHES / DIMENSIONS

HB505		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/C	Ø
425	25	12

HB506



FINISHES / DIMENSIONS

HB506		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/C	Ø
385	25	12

HB399




FINISHES / DIMENSIONS

HB399		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/C	Ø
200	25	12

ORNAMENTAL COLLECTION

Models, finishes and dimensions / 2 of 3

HB348



FINISHES / DIMENSIONS

HB348		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/C	Φ
260	200	25

HB400



FINISHES / DIMENSIONS

HB400		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/C	Φ
260	200	25

HB289



FINISHES / DIMENSIONS

HB289		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/C	Φ
260	200	25

ORNAMENTAL COLLECTION

Models, finishes and dimensions / 3 of 3

HB500



FINISHES / DIMENSIONS

HB500	
Material: Stainless steel	
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold	
L	C/c
450	125
250	100

HB350



FINISHES / DIMENSIONS

HB350	
Material: Stainless steel	
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold	
L	C/c
415	360

ORGANIC FORMS

Models, finishes and dimensions / 1 of 2


HB501



FINISHES / DIMENSIONS

HB501		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/c	Φ
415	120	30
315	70	25

HB503



FINISHES / DIMENSIONS

HB503		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/c	Φ
450	320	30
340	230	25

ORGANIC FORMS

Models, finishes and dimensions / 2 of 2

HB290



FINISHES / DIMENSIONS

HB290	
Material: Stainless steel	
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold	
L	C/c
370	280

HB316



FINISHES / DIMENSIONS

HB316			
Material: Stainless steel			
Finish: Satin / Dual Finish / Shiny / PVD Satin / PVD Shiny / PVD Pose Gold			
L	C/c	Φ	Weight
350	150	25	1.15kg

ORGANIC GRIP DETAIL

Original collection photography



CURVES & LINKED RINGS

Models, finishes and dimensions

HB651



FINISHES / DIMENSIONS

HB651		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/c	Φ
610	570	42

HB568



FINISHES / DIMENSIONS

HB568		
Material: Stainless steel		
Finish: Satin / Dual Finish / Shiny / PVD Satin PVD Shiny / PVD Pose Gold		
L	C/c	Φ
600	450	42

SCULPTURAL ENTRANCE

Original collection photography



LINKED-RING DETAIL

Original collection photography



THE FINISH IN FOCUS

Cylindrical pulls / Surface and mounting studies



MOUNT



CURVE



TEXTURE

CYLINDRICAL SIZE RANGES

Models, finishes and dimensions

TSL-H-32



FINISHES / DIMENSIONS

TSL-H-32				
ECO PSS/SSS				
Size	L	C/C	Φ	
H-32200	295	200	32	
H-32300	395	300	32	
H-32400	495	400	32	
H-32600	740	600	32	
H-32800	990	800	32	
H-32100	1190	1000	32	
H-32120	1390	1200	32	

TSL-H-25



FINISHES / DIMENSIONS

TSL-H-25				
ECO PSS/SSS				
Size	L	C/C	Φ	
H-25200	295	200	25	
H-25300	395	300	25	
H-25400	495	400	25	
H-25600	740	600	25	

END & MOUNTING DETAIL


Original collection photography



CURVED CYLINDRICAL PULLS

Models, finishes and dimensions


TSL-C-25



FINISHES / DIMENSIONS

TSL-C-25			
Size	L	C/C	Φ
C-25500	900	500	25
C-25800	1200	800	25

TSL-S-32/25



FINISHES / DIMENSIONS

TSL-S-32/25			
Aostu ECO PSS/SSS			
Size	L	C/C	Φ
S32300	450	300	32
S32450	600	450	32
S25300	600	450	25

A CONTINUOUS CURVE

Original collection photography



MOVE MOUNTING SYSTEM

Models, finishes and dimensions


TSL-MOVE-S-25



FINISHES / DIMENSIONS

□ TSL-MOVE-S-25 Verona Eco			
Size	L	c/c	□
2525300	395	300	25x25
2525400	495	400	25x25
2525600	795	600	25x25
2525800	995	800	25x25

TSL-MOVE-R-25



FINISHES / DIMENSIONS

○ TSL-MOVE-R-25 Fornari Eco			
Size	L	c/c	Φ
25300	395	300	25
25400	495	400	25
25500	695	500	25
25600	795	600	25

THE MOVE CONNECTION

Original collection photography



MOUNTING ASSEMBLIES

HB-9100A series / Main accessories / 1 of 4

HB-9100A-01



HB-9100A-02



FINISHES / DIMENSIONS

HB-9100A-01

Main accessories



FINISHES / DIMENSIONS

HB-9100A-02

Main accessories



MOUNTING ASSEMBLIES

HB-9100A series / Main accessories / 2 of 4

HB-9100A-05




HB-9100A-06



FINISHES / DIMENSIONS

HB-9100A-05


Main accessories



FINISHES / DIMENSIONS

HB-9100A-06

Main accessories



MOUNTING ASSEMBLIES

HB-9100A series / Main accessories / 3 of 4

HB-9100A-03



HB-9100A-04



FINISHES / DIMENSIONS

HB-9100A-03


Main accessories



FINISHES / DIMENSIONS

HB-9100A-04

Main accessories



MOUNTING ASSEMBLIES

HB-9100A series / Main accessories / 4 of 4

HB-9100A-07



HB-9100A-08



FINISHES / DIMENSIONS

HB-9100A-07

Main accessories



FINISHES / DIMENSIONS

HB-9100A-08

Main accessories



MATERIAL CODE

Finishes, woods and surfaces / 1 of 7

YB



Antique Bronze YB

The yellow bronze color system has a strong visual impact, and is heavy, natural, profound and harmonious.

RB



Red Brass RB

It gives people a sense of stability and peace of mind, and a sense of time and weight.

BSN



Satin BSN

Sanding is to make the surface of the board smooth and increase the strength of the surface at the same time, the thickness is uniform, suitable for various veneer processes, suitable for various standard structural parts, and convenient for decoration and production.

PAB



Polished Antique Brass PAB

The brightness of the surface gives the heavy bronze a sense of time and makes the texture more active.

SAB



Satin Antique Brass SAB

Such as the experience of thousands of years of precipitation, heavy, simple, full of sense of history.

AL



Alumimum AL

Space aluminum is an aluminum-magnesium alloy that has undergone special treatment such as high-temperature oxidation. It can withstand thousands of degrees of high temperature and strong impact. It is an aluminum product with high strength and anti-corrosion properties, and it is lightweight and durable.

MATERIAL CODE

Finishes, woods and surfaces / 2 of 7


TI



Titanium TI

Titanium is extremely hard, light in weight, and can resist erosion. Its unique color tone has a good performance whether it is high polish, mercerized or matte.

SP+TI



Stellate Spots Titanium SP+TI

Titanium is extremely hard, lighter, and can resist erosion. Star holes are made on the surface to make titanium no longer monotonous and richer in layers.

SP+SN



Stellate Spots Sand SP+SN

The low-key sanding surface is marked with star holes, making the sanding layer more abundant, and it looks like stars from a distance.

TB



Titanium Black TB

Titanium black is an environmentally friendly non-toxic inorganic pigment with pure blackness, which meets food-grade safety standards.

SB



Sand Black SB

Unique sand-like black; noble, low-key and luxurious, with subtle changes in color.

MB



Matted Black MB

A kind of black. The matte surface and fine particle processing make the black more mysterious and noble.

MATERIAL CODE

Finishes, woods and surfaces / 3 of 7

ACR



Acrylic ACR

It has good transparency, chemical stability, weather resistance, easy dyeing, easy processing, beautiful appearance, and has a wide range of applications in the construction industry.

BL



Black Leather BL

The natural black skin pattern, black mysterious, is a color with many different cultural meanings. The combination of black and white will never go out of style and has always been at the forefront of fashion.

BRL



Brown Leather BRL

It is elegant, simple, solemn and elegant, and is a relatively subtle color.

OL



Orange Leather OL

It has bright, gorgeous, healthy, excited, warm, joyous, brilliant, and easy to move color sense.

RL



Red Leather RL

Red is a symbol of life, vitality, health, passion, vigor and joy.

YL



Yellow Leather YL

It feels comfortable and gives a light, transparent, brilliant and hopeful color impression.

MATERIAL CODE

Finishes, woods and surfaces / 4 of 7

RT



Red Teak

RT

Corrosion-resistant, abrasion-resistant, shiny as new, beautiful pattern, elegant color tone, good stability, and low deformation.

MA



Maple

MA

Maple wood is not only a wonderful flower in the natural landscape, but also a good material for architectural decoration. The colors are coordinated and unified, highlighting the quiet, elegant and practical style.

OAK



Oak

OAK

It has a relatively distinct mountain-shaped wood grain, and the touch surface has a good texture. It has excellent toughness and can be processed into various bends as required, which is quite aesthetic.

SA



Sapele

SA

The bark surface has irregular shallow pits. Log sections often show rust color. The track panel has dark and light ribbon patterns and variable ribbon luster, so it presents the colors of traditional Chinese landscape painting and ink painting.

RW



Rose Wood

RW

Rosewood has fine wood, beautiful color and clear texture. It is a very rare and precious material for furniture and handicrafts.

FMR



Fraxinus mandshurica Rupr

FMR

The wood structure of Fraxinus mandshurica is thick, the texture is straight, the pattern is beautiful, shiny and hard. It has the characteristics of elasticity, good toughness, wear resistance and moisture resistance.

MATERIAL CODE

Finishes, woods and surfaces / 5 of 7

BH



Beech BH

The hardness of beech wood is higher than ordinary wood, and the wood is relatively heavy, which is also a manifestation of the "nobleness" of beech wood.

TE



Teak TE

Teak has strong corrosion resistance and abrasion resistance to a variety of chemical substances, its gloss is as bright as new, the pattern is beautiful, the color is elegant and durable, the stability is good, and the deformation is small.

BW



Black Walnut BW

Wood has high specific gravity, hardness, strength and rigidity, and strong impact resistance. It is a symbol of nobility and elegance.

STW



Striped Wood STW

Striped wood is pleasing to the eye, with harmonious texture, fine and uniform structure, heavy and hard material, stable dimensions of dry wood, bright rhyme and breeze, and quaint fashion can be well reflected.

WV



Wenge Wood WW

It is named because of the texture similar to "chicken wings". The texture is staggered, clear, and the color is abrupt. Among the mahogany, it is a relatively beautiful wood with a slight fragrance.

EB



Ebony EB

Ebony wood with stripes arranged in different shades. The structure is simple and uniform, corrosion resistant, durable, hard and heavy, and delicate. It is a very rare and precious material for furniture and handicrafts.

MATERIAL CODE

Finishes, woods and surfaces / 6 of 7

MBW



Matted Black Wood MBW

A kind of surface treatment of logs, the color is elegant and durable.

BCR



BCR

Brushed chrome

ABCU-M



ABCU-M

Antique Brass
(matt lacquer/brushed effect)

AVFE-M



AVFE-M

Antique pewter/iron
(matt lacquer/brushed effect)

MNI



MNI

Matt nickel

AVCU-M



AVCU-M

Antique Brass
(matt lacquer/brushed effect)

MATERIAL CODE

Finishes, woods and surfaces / 7 of 7


PCR



PCR

Polished chrome

MBLK



MBLK

Matt black (RAL9017)

PCU-B



PCU-B

Polished Brass (bright lacquer)

ORB-B



ORB-B

Oil rubbed bronze
(bright lacquer)

AVBR-M



AVBR-M

Antique english/brass
(matt lacquer/vibratile effect)

LEVER HANDLE RANGE

Lever handle series / 1 of 6

EA-6601



EA-6601 Tube SSS

Material

SUS 304 Stainless Steel

Thickness

35mm to 45mm

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

EA-6344



EA-6344 Tube SSS

Material

SUS 304 Stainless Steel

Thickness

35mm to 45mm

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

EA-6330



EA-6330

Material

SUS 304 Stainless Steel

Thickness

35mm to 45mm

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

LEVER HANDLE RANGE

Lever handle series / 2 of 6

EA-63111



EA-63111

Material
SUS 304 Stainless Steel

Thickness
35mm to 45mm

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

EA-6382



EA-6382

Material
SUS 304 Stainless Steel

Thickness
35mm to 45mm

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

EA-6003



EA-6003 Tube SSS

Material
SUS 304 Stainless Steel

Thickness
35mm to 45mm

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

LEVER HANDLE RANGE

Lever handle series / 3 of 6

EA-6328



EA-6328 Tube SSS

Material
SUS 304 Stainless Steel

Thickness
35mm to 45mm

Finishes available

Satin Stainless Steel-SSS
Polished Stainless Steel-PSS
Titanium Plated

304

EA-6305



EA-6305 Tube SSS

Material
SUS 304 Stainless Steel

Thickness
35mm to 45mm

Finishes available

Satin Stainless Steel-SSS
Polished Stainless Steel-PSS
Titanium Plated

304

EA-6395



EA-6395

Material
SUS 304 Stainless Steel

Thickness
35mm to 45mm

Finishes available

Satin Stainless Steel-SSS
Polished Stainless Steel-PSS
Titanium Plated

304

LEVER HANDLE RANGE

Lever handle series / 4 of 6

EA-7062



EA-7062

Material

SUS 304 Stainless Steel

Thickness

35mm to 45mm

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

EA-7064



EA-7064

Material

SUS 304 Stainless Steel

Thickness

35mm to 45mm

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

EA-63112



EA-63112 Tube SSS

Material

SUS 304 Stainless Steel

Thickness

35mm to 45mm

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

LEVER HANDLE RANGE

Lever handle series / 5 of 6

EA-6337



EA-6337 Tube SSS

Material

SUS 304 Stainless Steel

Thickness

35mm to 45mm

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

EA-6331



EA-6331 Tube SSS

Material

SUS 304 Stainless Steel

Thickness

35mm to 45mm

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

EA-70286



EA-70286

Material

SUS 304 Stainless Steel

Thickness

35mm to 45mm

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

LEVER HANDLE RANGE

Lever handle series / 6 of 6

EA-60354



EA-60354

Material

SUS 304 Stainless Steel

Thickness

35mm to 45mm

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

EA-70131



EA-70131

Material

SUS 304 Stainless Steel

Thickness

35mm to 45mm

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

THE EVERYDAY LEVER


Original collection detail



PLATES & FINISHES

Original accessory codes, swatches and printed-colour note

PLATE RANGE



FINISH RANGE



COLOUR REFERENCE NOTE

If there is a color difference between the printed material and the object, please take the color of the actual product as the criterion.

If there is a color difference between the printed material and the object, please take the color of the actual product as the criterion.

LEVERS & KNOBS

Lever handle series / 1 of 3

EA-70134



EA-70134

Material
SUS 304 Stainless Steel

Thickness
35mm to 45mm

Finishes available

Satin Stainless Steel-SSS
Polished Stainless Steel-PSS
Titanium Plated

304

EA-70258



EA-70258

Material
SUS 304 Stainless Steel

Thickness
35mm to 45mm

Finishes available

Satin Stainless Steel-SSS
Polished Stainless Steel-PSS
Titanium Plated

304

EA-70658



EA-70658

Material
SUS 304 Stainless Steel

Thickness
35mm to 45mm

Finishes available

Satin Stainless Steel-SSS
Polished Stainless Steel-PSS
Titanium Plated

304

LEVERS & KNOBS

Lever handle series / 2 of 3

EA-6322



EA-6322

Material

SUS 304 Stainless Steel

Thickness

35mm to 45mm

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

EA-6326



EA-6326

Material

SUS 304 Stainless Steel

Thickness

35mm to 45mm

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

EA-6316



EA-6316

Material

SUS 304 Stainless Steel

Thickness

35mm to 45mm

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

LEVERS & KNOBS

Lever handle series / 3 of 3

EA-6339



EA-6339 Tube SSS+WD

Material

SUS 304 Stainless Steel

Thickness

35mm to 45mm

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

EA-6340



EA-6340 Tube SSS+WD

Material

SUS 304 Stainless Steel

Thickness

35mm to 45mm

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

HANDLE & PLATE SETS

Models, finishes and dimensions

EA-6601



EA-6701



EA-6403



FINISHES / DIMENSIONS

EA-6601

Material

SUS 304 Stainless Steel

Finishes

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

FINISHES / DIMENSIONS

EA-6701

Material

SUS 304 Stainless Steel

Finishes

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

FINISHES / DIMENSIONS

EA-6403

Material

SUS 304 Stainless Steel

Finishes

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

Titanium Plated

304

THE KNOB ASSEMBLY

Original collection component detail



LOCKING COMPONENTS

Original part codes and component sets

SPINDLES 1 / 2 / 3




LOCK CASES & CYLINDERS



PLATES & FINISHES

Original accessory codes and finish swatches

PLATE RANGE



FINISH RANGE



COLLECTION STATEMENTS

Original wording retained from the supplied hardware catalogue

COLLECTION 134

Rigid and flexible in this to achieve a harmonious unity

COLLECTION 138

Innovative and unique design

COLLECTION 143


The Interpretation Of The Colorful Life In The Name Of Art

COLLECTION 162

**Returns To Its Origin,
Quite Simple**

Legible phrases from a partially damaged source caption.

ORIGINAL SOURCE CAPTION / PARTIALLY ILLEGIBLE




COLLECTION REFERENCE 134

STEEL AND CO.LTD · KOREA

ARCHITECTURAL HARDWARE

HARDWARE REFERENCE

Original supplier contact and collection marks



The specifications and supplier reference marks in this hardware section reproduce the supplied catalogue. Original source panels preserve model codes, finishes, dimensional values and bilingual labels.

Where the supplied scan is faint or marked, the original panel has been retained rather than a value being inferred.

BATHROOM HARDWARE

DETAILS FOR EVERYDAY RITUALS



Handles, fittings and glass systems for the shower and bathroom.

LIFE & TASTE

OEM & ODM export. Bathroom details, from the door pull to the enclosure.



A coordinated hardware family brings the same material language to movement, grip and enclosure.

THE EVERYDAY TOUCHPOINT

BD113 / double-sided shower door pull.




PULLS & TOWEL BARS

BD113 and BP-013-BB / material and configuration range.

BD113 / MATERIAL, FINISH & DIAMETER

BD113 Double Sided Shower Door Pull	
Material	Finish
SUS 304 Stainless Steel	Brushed Stainless steel / Polished stainless steel / Nickel Black / Black point
Diameter	12MM (1/2 inch)
304	

BP-013-BB / THREE CONFIGURATIONS



BP-013-BB
Bathroom Handle

Material
SUS 304 Stainless Steel
304



BP-013-BB
Bathroom Handle

Material
SUS 304 Stainless Steel
304



BP-013-BB
Bathroom Handle

Material
SUS 304 Stainless Steel
304

Double-sided pull and towel-bar configurations shown in the original range.

DOOR HANDLE PROFILES

A choice of straight, shaped and offset profiles.

	BP-413 BP-413 Bathroom Handle Material SUS 304 Stainless Steel 304
	BP-413-sigle BP-413-sigle Bathroom Handle Material SUS 304 Stainless Steel 304
	BP-349 BP-349 Bathroom Handle Material SUS 304 Stainless Steel 304
	BP-345 BP-345 Bathroom Handle Material SUS 304 Stainless Steel 304

Product appearance, material and technical data remain paired as specified.

DOOR HANDLE PROFILES

A choice of straight, shaped and offset profiles.



BP-551-32

BP-551-32

Bathroom Handle

Material

SUS 304 Stainless Steel

304



BP-550-19

BP-550-19

Bathroom Handle

Material

SUS 304 Stainless Steel

304



BP-414-31

BP-414-31

Bathroom Handle

Material

SUS 304 Stainless Steel

304

Product appearance, material and technical data remain paired as specified.

DOOR HANDLE PROFILES

A choice of straight, shaped and offset profiles.



BP-319

BP-319

Bathroom Handle

Material

SUS 304 Stainless Steel

304



BP-551L-28

BP-551L-28

Bathroom Handle

Material

SUS 304 Stainless Steel

304



BP-341

BP-341

Bathroom Handle

Material

SUS 304 Stainless Steel

304

Product appearance, material and technical data remain paired as specified.

DOOR HANDLE PROFILES

A choice of straight, shaped and offset profiles.



BP-268

BP-268

Bathroom Handle

Material

SUS 304 Stainless Steel

304



BP-3153-32

BP-3153-32

Bathroom Handle

Material

SUS 304 Stainless Steel

304



BP-631-28

BP-631-28

Bathroom Handle

Material

SUS 304 Stainless Steel

304

Product appearance, material and technical data remain paired as specified.

HANDLES FOR GLASS

Bathroom door handles and combined pull / towel-bar forms.



BP-551S-28

BP-551S-28
Bathroom Handle

Material

SUS 304 Stainless Steel

304



BP-158-25

BP-158-25
Bathroom Handle

Material

SUS 304 Stainless Steel

304



BP-3158F-26

BP-3158F-26
Bathroom Handle

Material

SUS 304 Stainless Steel

304



BP-3113S-26

BP-3113S-26
Bathroom Handle

Material

SUS 304 Stainless Steel

Product appearance, material and technical data remain paired as specified.

HANDLES FOR GLASS

Bathroom door handles and combined pull / towel-bar forms.



BP-163S-26

BP-163S-26

Bathroom Handle

Material

SUS 304 Stainless Steel



BP-1456

BP-1456

Material

SUS 304 Stainless Steel


Thickness

10-12mm Tempered glass

Scope of application

Suitable for bathroom glass doors

304



BP-1403

BP-1403

Material

SUS 304 Stainless Steel

Thickness

10-12mm Tempered glass

Scope of application

Suitable for bathroom glass doors

304

Product appearance, material and technical data remain paired as specified.

HANDLES FOR GLASS

Bathroom door handles and combined pull / towel-bar forms.

	BP-153B BP-153B <table><tr><th>Material</th><th>Thickness</th></tr><tr><td>SUS 304 Stainless Steel</td><td>10-12mm Tempered glass</td></tr><tr><td>Scope of application</td><td>Suitable for bathroom glass doors</td></tr><tr><td colspan="2">304</td></tr></table>	Material	Thickness	SUS 304 Stainless Steel	10-12mm Tempered glass	Scope of application	Suitable for bathroom glass doors	304	
Material	Thickness								
SUS 304 Stainless Steel	10-12mm Tempered glass								
Scope of application	Suitable for bathroom glass doors								
304									
	BP-3113M-30 BP-3113M-30 <table><tr><th>Material</th><th>Thickness</th></tr><tr><td>SUS 304 Stainless Steel</td><td>10-12mm Tempered glass</td></tr><tr><td>Scope of application</td><td>Suitable for bathroom glass doors</td></tr><tr><td colspan="2">304</td></tr></table>	Material	Thickness	SUS 304 Stainless Steel	10-12mm Tempered glass	Scope of application	Suitable for bathroom glass doors	304	
Material	Thickness								
SUS 304 Stainless Steel	10-12mm Tempered glass								
Scope of application	Suitable for bathroom glass doors								
304									
	BP-3146-19 BP-3146-19 Bathroom Handle <table><tr><th>Material</th><th>Thickness</th></tr><tr><td>SUS 304 Stainless Steel</td><td>10-12mm Tempered glass</td></tr><tr><td>Scope of application</td><td>Suitable for bathroom glass doors</td></tr><tr><td colspan="2">304</td></tr></table>	Material	Thickness	SUS 304 Stainless Steel	10-12mm Tempered glass	Scope of application	Suitable for bathroom glass doors	304	
Material	Thickness								
SUS 304 Stainless Steel	10-12mm Tempered glass								
Scope of application	Suitable for bathroom glass doors								
304									

Product appearance, material and technical data remain paired as specified.

PULL & TOWEL-BAR FORMS

Glass-door hardware with source dimensions and material references.



BP-3162

BP-3162

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



BP-3149

BP-3149

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



BP-3153

BP-3153

Material	Thickness	
SUS 304 Stainless Steel	10-12mm Tempered glass	
Scope of application:	Suitable for bathroom glass doors	
L	C/C	□
500	400	20X20
304		

Product appearance, material and technical data remain paired as specified.

PULL & TOWEL-BAR FORMS

Glass-door hardware with source dimensions and material references.



BP-3153-39

Material	Thickness	
SUS 304 Stainless Steel	10-12mm Tempered glass	
Scope of application	Suitable for bathroom glass doors	
L	C/C	Φ
470	448	16
304		



BP-3112-24

Material	Thickness	
SUS 304 Stainless Steel	10-12mm Tempered glass	
Scope of application	Suitable for bathroom glass doors	
L	C/C	W
600	450	23X14
304		

Product appearance, material and technical data remain paired as specified.

GRIP MEETS GEOMETRY

A combined door pull and towel bar in place.



FINGER PULLS

Round, square and recessed forms with matching technical drawings.



KBH-001SS-64

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



KBH-002SS-64

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



EPKBH-007SS-50

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	




KBH-008SS-50

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	

Product appearance, material and technical data remain paired as specified.

FINGER PULLS


Round, square and recessed forms with matching technical drawings.



KBH-001SS-59

KBH-001SS-59


Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



KBH-002SS-59

KBH-002SS-59

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



KBH-009SS

KBH-009SS

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



KBH-010SS


KBH-010SS

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	

Product appearance, material and technical data remain paired as specified.

FINGER PULLS


Round, square and recessed forms with matching technical drawings.



KBH-003SS-65

KBH-003SS-65

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



KBH-004SS-65

KBH-004SS-65


Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



KBH-011SS-50

KBH-011SS-50

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



KBH-012SS


KBH-012SS

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	

Product appearance, material and technical data remain paired as specified.

FINGER PULLS

Round, square and recessed forms with matching technical drawings.



KBH-005SS-73

KBH-005SS-73


Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



KBH-006SS

KBH-006SS


Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



KBH-013SS

KBH-013SS

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



KBH-014SS

KBH-014SS

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	

Product appearance, material and technical data remain paired as specified.

KNOB HANDLES

Compact two-sided hardware with model-specific dimensions.



KBH-016SS-28

KBH-016SS-28

Bathroom Handle

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



KBH-017SS-31

KBH-017SS-31

Bathroom handle

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



KBH-024SS-30

KBH-024SS-30

Bathroom Handle

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



KBH-025SS-32

KBH-025SS-32


Bathroom handle

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	

Product appearance, material and technical data remain paired as specified.

KNOB HANDLES

Compact two-sided hardware with model-specific dimensions.




KBH-018SS-28

Bathroom Handle

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors

304




KBH-019SS-26

Bathroom handle

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors

304



KBH-026SS-26

Bathroom handle

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors

304



KBH-027SS-24

Bathroom handle

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors

304

Product appearance, material and technical data remain paired as specified.

KNOB HANDLES

Compact two-sided hardware with model-specific dimensions.



KBH-020SS-25

KBH-020SS-25

Bathroom Handle

Material

SUS 304 Stainless Steel


Thickness

10-12mm Tempered glass

Scope of application

Suitable for bathroom glass doors

304



KBH-021SS-28

KBH-021SS-28

Bathroom handle

Material

SUS 304 Stainless Steel

Thickness

10-12mm Tempered glass

Scope of application

Suitable for bathroom glass doors

304



KBH-028SS-30

KBH-028SS-30

Bathroom Handle

Material

SUS 304 Stainless Steel

Thickness

10-12mm Tempered glass

Scope of application

Suitable for bathroom glass doors

304



KBH-029SS-30

KBH-029SS-30

Bathroom Handle

Material

SUS 304 Stainless Steel

Thickness

10-12mm Tempered glass

Scope of application


Suitable for bathroom glass doors

304

Product appearance, material and technical data remain paired as specified.

KNOB HANDLES

Compact two-sided hardware with model-specific dimensions.




KBH-022SS-25

KBH-022SS-25

Bathroom Handle

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



KBH-023SS-19

KBH-023SS-19

Bathroom Handle

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



KBH-030SS-19

KBH-030SS-19

Bathroom Handle

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



KBH-031SS-28

KBH-031SS-28


Bathroom Handle

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	

Product appearance, material and technical data remain paired as specified.


KNOB HANDLE DETAILS

Profile, drawing and specification kept together.



KBH-032SS-25

KBH-032SS-25 Bathroom Handle	
Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	




KBH-033SS-28

KBH-033SS-28 Bathroom Handle	
Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



KBH-034SS-25

KBH-034SS-25 Bathroom Handle	
Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



KBH-035SS-22

KBH-035SS-22 Bathroom Handle	
Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	

Product appearance, material and technical data remain paired as specified.

KNOB HANDLE DETAILS

Profile, drawing and specification kept together.

		KBH-026SS-24	
		KBH-026SS-24	Bathroom handle
		Material	Thickness
		SUS 304 Stainless Steel	10-12mm Tempered glass
		Scope of application	Suitable for bathroom glass doors
		304	

		KBH-037SS-30	
		KBH-037SS-30	Bathroom Handle
		Material	Thickness
		SUS 304 Stainless Steel	10-12mm Tempered glass
		Scope of application	Suitable for bathroom glass doors
		304	

		KBH-038SS-30	
		KBH-038SS-30	Bathroom handle
		Material	Thickness
		SUS 304 Stainless Steel	10-12mm Tempered glass
		Scope of application	Suitable for bathroom glass doors
		304	

Product appearance, material and technical data remain paired as specified.

A POLISHED DETAIL

Knob bathroom handles.



A PLACE FOR EVERYTHING

Hooks, shelves, towel bars and racks.



EPTR-01-001

EPTR-01-001 Towel Rack

Material

SUS 304 Stainless Steel

304



EPTR-01-002

EPTR-01-002 Towel Rack

Material

SUS 304 Stainless Steel

304



EPTR-01-003

EPTR-01-003 Towel Rack

Material

SUS 304 Stainless Steel

304



EPTR-02-001

EPTR-02-001 Towel Rack

Material

SUS 304 Stainless Steel

304

Product appearance, material and technical data remain paired as specified.

A PLACE FOR EVERYTHING

Hooks, shelves, towel bars and racks.



EPTR-02-002

EPTR-02-002 Tower Rack

Material

SUS 304 Stainless Steel

304



EPTR-02-003

EPTR-02-003 Tower Rack

Material

SUS 304 Stainless Steel

304



EPTR-01-004

EPTR-01-004 Tower Rack

Material

SUS 304 Stainless Steel

304



EPTR-01-005

EPTR-01-005 Tower Rack

Material

SUS 304 Stainless Steel

304

Product appearance, material and technical data remain paired as specified.

A PLACE FOR EVERYTHING

Hooks, shelves, towel bars and racks.

EPTR-02-006



EPTR-02-006 Tower Rack

Material

SUS 304 Stainless Steel

304

EPTR-02-007



EPTR-02-007 Tower Rack

Material

SUS 304 Stainless Steel

304

EPTR-01-006



EPTR-01-006 Tower Rack

Material

SUS 304 Stainless Steel

304

Product appearance, material and technical data remain paired as specified.

A PLACE FOR EVERYTHING

Hooks, shelves, towel bars and racks.

EPTR-01-008



EPTR-01-008 Towel Rack

Material

SUS 304 Stainless Steel

304

EPTR-02-005



EPTR-02-005 Towel Rack

Material

SUS 304 Stainless Steel

304

EPTR-02-008



EPTR-02-008 Towel Rack

Material

SUS 304 Stainless Steel

304

Product appearance, material and technical data remain paired as specified.

MODEL 01 / HINGED SHOWER

A glazed shower corner with the necessary fittings.



COMPONENTS / NECESSARY FITTINGS



MODEL 02 / CORNER ENCLOSURE

Hinges, connectors, guide hardware and a door handle.



COMPONENTS / NECESSARY FITTINGS



MODEL 06 / SHOWER BOX 76

Exposed rollers and a sliding glass screen.



MODEL 06 / SHOWER BOX 76 / COMPONENTS

Necessary fittings, preserved as a complete assembly set.

Installation Necessary fitting



A007-1
Pulley wheel



A007-3
Guide Bail Fixing



A007-2
Stop beating device



A007-4
Door stop



A007-5
Mounting



A001-6
Guide Track



Handle




A007-25
Bar



GC-01-90°
Guide Track

MODEL 06 / SHOWER BOX 76 / INSTALLATION

Assembly geometry and original installation instructions.



INSTALLATION NOTES

Shower Box 76

Nonstandard shower room installation diagram

Instructions:

- Maximum weight bearing of the shower room: 50kg
- 180° maximum installation length is 2m, 90° dual open door (maximum installation length is 1.0m)
- There are no drilled holes in the guide rail, ordered by user, holes shall be made during installation
- The accessories are only suitable for clamping (not for drilling)
- When drilling holes in glass, please do it directly in accordance with dimensions in the installation diagram
- Every type is 4-in-1 (4/90° dual open/90° single open and 180°)



MODEL 07 / SHOWER BOX 39

Sliding glass with a cylindrical rail.




MODEL 07 / SHOWER BOX 39 / COMPONENTS

Necessary fittings, preserved as a complete assembly set.



MODEL 07 / SHOWER BOX 39 / INSTALLATION

Assembly geometry and original installation instructions.



INSTALLATION NOTES

Shower Box 39

Nonstandard shower room installation diagram

Instructions:

- Maximum weight (weight) of the shower room: 65kg
- 180° maximum installation length is 2m, 90° dual open door maximum installation length is 1.0m
- There are no drilled holes in the guide rail (ordered by user's hole) shall be made during installation
- The accessories are only suitable for clamping 5mm-10mm glass
- When drilling holes in glass, please do strictly in accordance with dimensions in the installation diagram
- Every type can install 90° dual open, 90° single open and 180°

MODEL 08 / SLIDING SHOWER

A linear rail with compact fitting details.



COMPONENTS / NECESSARY FITTINGS



MODEL 09 / CORNER SHOWER

HB-99100A / components shown with their source identities.



COMPONENTS / NECESSARY FITTINGS



MODEL 10 / 02-2601

A sliding shower assembly with a flat-profile rail.




MODEL 10 / 02-2601 / COMPONENTS

Necessary fittings, preserved as a complete assembly set.



MODEL 10 / 02-2601 / INSTALLATION

Assembly geometry and original installation instructions.



INSTALLATION NOTES

Model 2-2601

Nonstandard shower room installation diagram

Instructions:

- ① Maximum weight bearing of the shower room: 75kg
- ② 180° maximum installation length is 3m.
- ③ There are no drilled holes in the guide rail ordered by users.
Holes shall be made during installation.
- ④ The accessories are only suitable for clamping 8mm-15mm glass.
- ⑤ When drilling hole in glass, please do strictly in accordance with dimension in the installation diagram.
- ⑥ Every type can install 90° dual open, 90° single open and 180°.


SHOWER BOX 94

WSD-01 / rolling hardware in section.



SHOWER BOX 94 / DETAILS

Glass preparation, rail geometry and necessary fittings.



WSD-01 / COMPONENTS



WSD-01 / COMPONENTS

Shower Box 94 / necessary fittings and rail assembly.



BRACING THE GLASS

Shower supporting bars / BRC range.



BRC-001

BRC-001 Bathroom rod connecting

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



BRC-002-FE

BRC-002-FE Bathroom rod connecting

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



BRC-003-F1

BRC-003-F1 Bathroom rod connecting

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	

Product appearance, material and technical data remain paired as specified.

BRACING THE GLASS

Shower supporting bars / BRC range.



BRC-004-C

BRC-004-C

Bathroom rod connecting

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



BRC-003-F2

BRC-003-F2

Bathroom rod connecting

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	



BRC-005-F2

BRC-005-F2

Bathroom rod connecting

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	

Product appearance, material and technical data remain paired as specified.

GLASS FIXING BARS

Glass-glass and wall-glass connections.

EPGC-960



EPGC-960 Glass Fixing Bar (Glass - Glass)


Material
SUS 304 Stainless Steel

Thickness
8-12mm Tempered glass

Finishes available

Satin Stainless Steel-SSS
Polished Stainless Steel-PSS

304



EPGC-961



EPGC-961 Glass Fixing Bar (Wall - Glass)


Material
SUS 304 Stainless Steel

Thickness
8-12mm Tempered glass

Finishes available

Satin Stainless Steel-SSS
Polished Stainless Steel-PSS

304



GLASS FIXING BARS

Glass-glass and wall-glass connections.

EPGC-967



EPGC-967 Glass Fixing Bar (Wall-Glass)

Material
SUS 304 Stainless Steel

Thickness
8-12mm Tempered glass

Finishes available

Satin Stainless Steel-SSS
Polished Stainless Steel-PSS

304



EPGC-968



EPGC-968 Glass Fixing Bar (Glass-Glass)


Material
SUS 304 Stainless Steel

Thickness
8-12mm Tempered glass

Finishes available

Satin Stainless Steel-SSS
Polished Stainless Steel-PSS

304



CONNECT THE ENCLOSURE

19/25 rod-to-glass connectors / 800/900 shower support-bar fittings.

**EPGC-902**

EPGC-902 ~~Ref is Classified~~

Material	Thickness
BUS 504 Stainless Steel	3.12mm Tempered Glass
Finishes available:	• Anti-Scratch Black SS • Polished Stainless Steel SS



EPGC-002-A

EPGC-002-A *Revised/Updated*

Material	Thickness
304 Stainless Steel	12mm Tempered glass
Finishes available	Basic Stainless Steel - SS304 Polished Stainless Steel - #8 Brushed Stainless Steel - #4



EPGC-002-B

EPGC-002-B Page 10 of 10

Material	Thickness
304 Stainless Steel	12mm Tempered glass
Finishes available	Satin / Mirror / Steel / SS Powder Coated / Veneer / PVC



EPGC-004-F135°

EPGC-004-F135^v Will be fully corrected

Material	Thickness
AISI 304 Stainless Steel	6.12mm Tempered glass
Finishes available	Satin Mattress Steel - \$35 Polished Stainless Steel - \$40



Product appearance, material and technical data remain paired as specified.

CONNECT THE ENCLOSURE

19/25 rod-to-glass connectors / 800/900 shower support-bar fittings.

EPGC-003



EPGC-003 Road to Chavacana station

Material	Thickness
SUS 304 Stainless Steel	4-12mm Tempered glass
Finishes available	Satin Stainless Steel - SS Polished Stainless Steel - SS

14

EPGC-004-F90




EPGC-004-F90 Read the Glass vial label

Material	Thickness
SUS 304 Stainless Steel	8-12mm Tempered glass
Finishes available	Satin Stainless Steel SSF Polished Stainless Steel PSC

304

EPGC-005-90°



EPGC-005-90° 404 10-14-2015 09:30:00 AM

Material	Thickness
SUS 304 Stainless Steel	8-12mm Tempered glass
Finishes available	Satin Stainless Steel - SS Polished Stainless Steel - SS

304

Product appearance, material and technical data remain paired as specified.

CONNECT THE ENCLOSURE

19/25 rod-to-glass connectors / 800/900 shower support-bar fittings.




EPGC-006-135°

End to Glass connector

Material	Thickness
SUS 304 Stainless Steel	8-12mm Tempered glass
Finishes available	Satin Stainless Steel SUS Polished Stainless Steel SUS

304



EPGC-007-T

End to Glass connector

Material	Thickness
SUS 304 Stainless Steel	8-12mm Tempered glass
Finishes available	Satin Stainless Steel SUS Polished Stainless Steel SUS

304



EPGC-008

Rod to Glass connector

Material	Thickness
SUS 304 Stainless Steel	8-12mm Tempered glass
Finishes available	Satin Stainless Steel SUS Polished Stainless Steel SUS

304

Product appearance, material and technical data remain paired as specified.

CONNECT THE ENCLOSURE

19/25 rod-to-glass connectors / 800/900 shower support-bar fittings.



EPGC-009

Rod to Glass connector

Material	Thickness
SUS 304 Stainless Steel	8-12mm Tempered glass
Finishes available	Satin Stainless Steel F55 Polished Stainless Steel F55

304



EPGC-010

Rod to Glass connector

Material	Thickness
SUS 304 Stainless Steel	8-12mm Tempered glass
Finishes available	Satin Stainless Steel F55 Polished Stainless Steel F55

304



EPGC-011

Rod to Glass connector


Material	Thickness
SUS 304 Stainless Steel	8-12mm Tempered glass
Finishes available	Satin Stainless Steel F55 Polished Stainless Steel F55

304

Product appearance, material and technical data remain paired as specified.

SHOWER HINGE FINISHES

Application details and the original finish palette.



Finish
饰面



抛光



砂光



ORB



金色



US15



玫瑰金

SHOWER HINGES

Model geometry, materials, glass thickness and finish options.

EPGH-3111



EPGH-3111 Shower Hinge

Material

SUS 304 Stainless Steel

Thickness


8-12mm Tempered glass

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

304



EPGH-3112



EPGH-3112 Shower Hinge

Material

SUS 304 Stainless Steel

Thickness


8-12mm Tempered glass

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

304



EPGH-3113



EPGH-3113 Shower Hinge

Material

SUS 304 Stainless Steel

Thickness


8-12mm Tempered glass

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

304



SHOWER HINGES

Model geometry, materials, glass thickness and finish options.

EPGH-3114

EPGH-3114 Shower Hinge

Materials

SUS 304 Stainless Steel

 Thickness |


8-12mm Tempered glass

Finishes available

320in Stainless Steel-SSS

Polished Stainless Steel-PSS

304



EPGH-3115



EPGH-3115 Shower Hinge

Materials

SUS 304 Stainless Steel

Thickness


8-12mm Tempered glass

Finishes available

Satin Stainless Steel—\$55

Polished Stainless Steel P53

384



EPGH-3119



EPGH-3119 Shower Hinge

Material

SUS 304 Stainless Steel

Thickness


8-12mm Tempered glass

Finishes available

Satin Stainless Steel-555

Polished Stainless Steel PSS

354



SHOWER HINGE FINISHES

Application details and the original finish palette.



SHOWER HINGES

Model geometry, materials, glass thickness and finish options.


EPGH-2110



EPGH-2111



EPGH-2112



SHOWER HINGES

Model geometry, materials, glass thickness and finish options.

EPGH-2114



EPGH-2114 Shower Hinge

Material

SUS 304 Stainless Steel

Thickness

6-12mm Tempered glass

Finishes available:

Satin Stainless Steel
Brushed Stainless Steel (PVD)

304



EPGH-2115



EPGH-2115 Shower Hinge

Material

SUS 304 Stainless Steel

Thickness

6-12mm Tempered glass

Finishes available:

Satin Stainless Steel
Brushed Stainless Steel (PVD)

304



EPGH-2119



EPGH-2119 Shower Hinge

Material

SUS 304 Stainless Steel

Thickness

6-12mm Tempered glass

Finishes available:

Satin Stainless Steel
Brushed Stainless Steel (PVD)

304



RECTANGULAR GLASS CLAMPS

Paired product, material and dimension details.

EPGC-01-0P




EPGC-01-0P Glass Clamp

Material
SUS 304 Stainless Steel

Thickness
8-12mm Tempered glass

Finishes available
Satin Stainless Steel-SSS
Polished Stainless Steel-PSS

SC4



EPGC-01-90




EPGC-01-90 Glass Clamp

Material
SUS 304 Stainless Steel

Thickness
8-12mm Tempered glass

Finishes available
Satin Stainless Steel-SSS
Polished Stainless Steel-PSS

SC4



EPGC-01-290




EPGC-01-290 Glass Clamp

Material
SUS 304 Stainless Steel

Thickness
8-12mm Tempered glass

Finishes available
Satin Stainless Steel-SSS
Polished Stainless Steel-PSS

SC4



RECTANGULAR GLASS CLAMPS

Paired product, material and dimension details.

EPGC-01-135




EPGC-01-135 Glass Clamp

Material
SUS 304 Stainless Steel

Thickness
8-12mm Tempered glass

Finishes available	Satin Stainless Steel -SSS
	Polished Stainless Steel -PSS

304



EPGC-01-2135



EPGC-01-2135 Glass Clamp

Material
SUS 304 Stainless Steel

Thickness
8-12mm Tempered glass

Finishes available	Satin Stainless Steel -SSS
	Polished Stainless Steel -PSS

304



RECTANGULAR GLASS CLAMPS

Paired product, material and dimension details.

EPGC-01-180




EPGC-01-180 Glass Clamp

Material
SUS 304 Stainless Steel

Thickness
8-12mm Tempered glass

Finishes available	Satin Stainless Steel-SSS
	Polished Stainless Steel-PSS

304



EPGC-01-2180




EPGC-01-2180 Glass Clamp

Material
SUS 304 Stainless Steel

Thickness
8-12mm Tempered glass

Finishes available	Satin Stainless Steel-SSS
	Polished Stainless Steel-PSS

304



CLEAR ENCLOSURE LINES

Glass clamps in application.



EPGC-01-0P Glass Clamp

Material

SUS 304 Stainless Steel

To connect


8-12mm Tempered glass

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

304



EPGC-01-2135 Glass Clamp

Material

SUS 304 Stainless Steel

To connect


8-12mm Tempered glass

Finishes available

Satin Stainless Steel-SSS

Polished Stainless Steel-PSS

304



ROUNDED GLASS CLAMPS

Glass-clamp profiles with model-specific geometry.

EPGC-03-00



EPGC-03-00 (22x45 / mm)

Material

SUS 304 Stainless Steel

Thickness

3-10mm Tempered glass

Finishes available

Satin Stainless Steel SUS

Polished Stainless Steel SUS

304



EPGC-03-90



EPGC-03-90 (44x45 / mm)

Material

SUS 304 Stainless Steel

Thickness

3-10mm Tempered glass

Finishes available

Satin Stainless Steel SUS

Polished Stainless Steel SUS

304



EPGC-03-290



EPGC-03-290 (45x45 / mm)

Material

SUS 304 Stainless Steel

Thickness


3-10mm Tempered glass

Finishes available

Satin Stainless Steel SUS

Polished Stainless Steel SUS

304



ROUNDED GLASS CLAMPS

Glass-clamp profiles with model-specific geometry.

EPGC-03-135



EPGC-03-135 Glass Clamp

Material
SUS 304 Stainless Steel

Thickness
8 (10mm Tempered glass)

Finishes available

Satin Stainless Steel 304
Brushed Stainless Steel 304

EPGC-03-2135



EPGC-03-2135 Glass Clamp

Material
SUS 304 Stainless Steel

Thickness
8 (10mm Tempered glass)

Finishes available

Satin Stainless Steel 304
Brushed Stainless Steel 304

A LIGHTER CORNER

Rounded fittings in a glazed shower enclosure.




SEAL THE EDGE


Translucent sealing strips / shower glass doors.

For shower glass doors. The source range describes these strips as preventing water from flowing out of the bathroom glass door.

TSS-01 TO TSS-05 / ASSEMBLY GEOMETRY



TSS-06 TO TSS-10 / ASSEMBLY GEOMETRY



SEALING-STRIP PROFILES

Original strip geometry, glass thickness and material references.

TSS-01



TSS-01

Waterproof Seal X (Glass: 6mm glass)


Material

ABS Plastic

Thickness

General Seal W: Transparent with soft tip

Per 500 (5mm glass)



TSS-02



TSS-02

Waterproof Seal W (Glass: 6mm glass)


Material

ABS Plastic

Thickness

General Seal W: Transparent with soft tip

Per 500 (5mm glass)



TSS-03



TSS-03

Waterproof Seal X (Glass: 6mm glass)


Material

ABS Plastic

Thickness

General Seal X: Transparent with soft tip

Per 500 (5mm glass)



SEALING-STRIP PROFILES

Original strip geometry, glass thickness and material references.

TSS-04



TSS-04


Designed for shower glass door.

Material

ABS Plastic

Thickness

Same as 20mm transparent with soft lip.
For 8/10/12mm glass.



TSS-05



TSS-05


Designed for shower glass door.

Material

ABS Plastic

Thickness

Same as 20mm transparent with soft lip.
For 8/10/12mm glass.



TSS-06



TSS-06


Designed for shower glass door.

Material

ABS Plastic

Thickness

Same as 20mm transparent with soft lip.
For 8/10/12mm glass.



SEALING-STRIP PROFILES

Original strip geometry, glass thickness and material references.

TSS-07



TSS-07


Standard seal for shower glass doors

Material

Ally Plastic

Thickness

Standard for Transparent with 6mm
up to 1000mm glass



TSS-08



TSS-08

Standard seal for shower glass doors

Material

Ally Plastic

Thickness

Standard for Transparent with 6mm
up to 1000mm glass



SEALING-STRIP PROFILES

Original strip geometry, glass thickness and material references.

TSS-09



TSS-09

Sealing strip for shower glass doors

Material

ABS Plastic

Thickness

Centre seal: 18mm transparent with soft lip
For 8/10/12mm glass.



TSS-10



TSS-10

Sealing strip for shower glass doors

Material

ABS Plastic

Thickness

Centre seal: 10mm transparent with soft lip
For 8/10/12mm glass.



CANOPY / INTERIOR GLASS

SLIDING & PIVOT DOOR SYSTEMS



Interior glass systems, from exposed rolling assemblies to pivot connections.

BEVERLY / SLIDING GLASS

Exposed sliding-door hardware and its matching components.



BEVERLY / SLIDING GLASS / COMPONENTS

Necessary fittings, preserved as a complete assembly set.



BLYTHE / SLIDING GLASS

Exposed sliding-door hardware and its matching components.




BLYTHE / SLIDING GLASS / COMPONENTS

Necessary fittings, preserved as a complete assembly set.




BLYTHER / INSTALLATION

Shower Box 13



AMY / TIMBER DOOR

Shower Box 67 / Modle-41-Woodendoor




WSD-02 / SINGLE & DOUBLE



CLAUDIA / SLIDING SYSTEM

Shower Box 28 / Modle-91



WSD-01 / COMPONENTS



CLAUDIA / WSD-01

Shower Box 28 / necessary fittings.



PIVOT CONNECTIONS

Swing door modle 1s / connecting pivot.

Swing door modle 1s

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors

304

Connecting Pivot

Pivot pole with single point fixings and pivot bearing for intermediate tube

Maximum load : 100kg


For glass 10-12mm

Can offer various of floor spring connections



THE PIVOT ASSEMBLY

Glass-door installation and upper-wall pivot hardware.



GH-11



GH-11

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	

GH-12



GH-12 Upper wall pivot

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	

GH-13



GH-13 Upper wall pivot

Material	Thickness
SUS 304 Stainless Steel	10-12mm Tempered glass
Scope of application	Suitable for bathroom glass doors
304	

CARE

SUPPORT FOR EVERYDAY SPACES




Grab bars and support rails for bathrooms and circulation spaces.

FOLDING SUPPORT BARS

EPGB-001 and EPGB-002 / original fitting and installation details.




POSITIONING & INSTALLATION




FOLDING BARS / INSTALLATION

Original positioning diagrams and installation sequence.

Schematic diagram



INSTALLATION



1. Drill the hole at the location where the grab bar will be installed. The hole should be 40mm in diameter and 100mm in depth. The hole should be 100mm in depth.



2. Insert the mounting bracket into the hole and secure it with a screw.



3. Attach the grab bar to the mounting bracket and secure it with a screw. The grab bar should be 100mm in depth.

STRAIGHT SUPPORT RAILS

Safety grab bars / the original EPGB-25 range.



EPGB-25-12" Grab Bar 12"

Material	Thickness
SUS 304 Stainless Steel	300mm
	ØD25mm
304	



EPGB-25-14" Grab Bar 14"

Material	Thickness
SUS 304 Stainless Steel	360mm
	ØD25mm
304	



EPGB-25-18" Grab Bar 18"

Material	Thickness
SUS 304 Stainless Steel	450mm
	ØD25mm

Product appearance, material and technical data remain paired as specified.

STRAIGHT SUPPORT RAILS

Safety grab bars / the original EPGB-25 range.



EPGB-25-24"

Grab Bar 24"

Material	Thickness
SUS 304 Stainless Steel	600mm
	ØD 25mm
304	



EPGB-25-28"

Grab Bar 28"

Material	Thickness
SUS 304 Stainless Steel	680mm
	ØD 25mm



EPGB-25-32"

Grab Bar 32"

Material	Thickness
SUS 304 Stainless Steel	900mm
	ØD 25mm

Product appearance, material and technical data remain paired as specified.

SUPPORT RAIL GEOMETRY

Straight, angled and L-shaped rails with source-specific dimensions.



EPGB-32-18"

Grab Bar 18"

Material	Thickness
SUS 304 Stainless Steel	450mm
	OD 12mm
304	



EPGB-32-24"

Grab Bar 24"

Material	Thickness
SUS 304 Stainless Steel	600mm
	OD 12mm
304	



EPGB-32-31"

Grab Bar 31"

Material	Thickness
SUS 304 Stainless Steel	1200mm
	OD 12mm
304	



EPGB-825-2-2 / 8" x 8"

Grab Bar 8"x8"

Material	Thickness
SUS 304 Stainless Steel	200x200mm
304	12.5mm

Product appearance, material and technical data remain paired as specified.

SUPPORT RAIL GEOMETRY

Straight, angled and L-shaped rails with source-specific dimensions.



EPGB-825-2-2 / 10" x 10"

EPGB-825-2-2

Grab bar 10"x10"

Material	Thickness
SUS 304 Stainless Steel	200x200mm
Polished	125° OD 12mm

304



EPGB-825-3-3

Grab bar 12"x12"

EPGB-825-3-3

Grab bar 12"x12"

Material	Thickness
SUS 304 Stainless Steel	300x300mm
Satin	125° OD 12mm

304



EPGB-825-3-4

Grab bar 15"

EPGB-825-3-4

Grab bar 15"

Material	Thickness
SUS 304 Stainless Steel	300x400mm
Polished	125° OD 12mm

304

Product appearance, material and technical data remain paired as specified.

SUPPORT RAIL GEOMETRY

Straight, angled and L-shaped rails with source-specific dimensions.



EPGB-L32-34

Grab bar 17"x18"

Material	Thickness
SUS 304 Stainless Steel	300x450mm
Satin	50° OD 32mm

304



EPGB-L32-35

Grab bar 18"

Material	Thickness
SUS 304 Stainless Steel	300x480mm
Polished	50° OD 32mm

304



EPGB-L32-36

Grab bar 12"x26"

Material	Thickness
SUS 304 Stainless Steel	300x600mm
Satin	40° OD 42mm

304

Product appearance, material and technical data remain paired as specified.

SUPPORT AROUND THE ROOM

Corner, wall and floor-supported grab bars.



EPGB-832-35B

EPGB-832-35B Safety Grab Bar

Material	Thickness
SUS 304 Stainless Steel	300x800mm 135° OD 25mm
304	



EPGB-L32-66BR

EPGB-L32-66BR Safety Grab Bar

Material	Thickness
SUS 304 Stainless Steel	600x600mm 90° OD 32mm
304	



EPGB-832-34

EPGB-832-34 Safety Grab Bar

Material	Thickness
SUS 304 Stainless Steel	300x400mm 135° OD 25mm
304	



EPGB-L32-6-6BL

EPGB-L32-6-6BL Safety Grab Bar

Material	Thickness
SUS 304 Stainless Steel	600x600mm 90° OD 32mm
304	

Product appearance, material and technical data remain paired as specified.

SUPPORT AROUND THE ROOM

Corner, wall and floor-supported grab bars.



EPGB-LL32-6-6B

EPGB-LL32-6-6B Safety Grab Bar

Material	Thickness
SUS 304 Stainless Steel	600x600mm
	32" O.D. 31mm

304



GB-T25-7-7

GB-T25-7-7 Safety Grab Bar

Material	Thickness
SUS 304 Stainless Steel	700x700mm
	UD 25mm

304



GB-T32-7-7

GB-T32-7-7 Safety Grab Bar

Material	Thickness
SUS 304 Stainless Steel	700x700mm
	UD 32mm

304

Product appearance, material and technical data remain paired as specified.

CARE IN PLACE

Wall and floor support rails beside the toilet.



CANOPY

GLASS ABOVE THE THRESHOLD




Stainless fittings and glass structures for a sheltered entrance.

A GLASS CANOPY IN PLACE

Canopy components and installation arrangement.




INSTALLATION CASE DIAGRAM



CANOPY FITTINGS

Glass, wall and rod connections from the original range.

Canpy-13



Canpy-14



Canpy-15




GLASS CONNECTION GEOMETRY

Adjustable wall-glass fittings / plan view and glass preparation.

INSTALLATION CASE DIAGRAM:

Glass preparation on: For glass/glass corner connectors for 10mm to 12mm tempered glass.

Planview



TWO GLASS-HOLE CONNECTIONS

Two kinds connecting for glass hole.

Two kinds connecting for glass hole.

Two kinds connecting for glass hole.

Two kinds connecting for glass hole.



Two kinds connecting for glass hole.



Two kinds connecting for glass hole.


Two kinds connecting for glass hole.

GLASS PREPARATION

Countersunk and standard glass holes / installation tool.

COUNTERSUNK HOLE / CS

Countersunkhole=CS(Countersunk hole)



Countersunk holes from
the front side

FLAT HOLE / STD

Flat hole=STD(Standard hole)



Flat holes from the front
side

HB-180A-4 / ADJUSTABLE PIN-HOLE SPANNER

HB-180A-4 Adjustable pin-hole spanner

FEATURE

316L SUS (Seamless Steel)

304



Use the tool for installation and lockout.
@ 2018 CO-1000000

CONNECTING RODS

Angle and length references from the source installation table.


Connecting rod:



Angle	Length connecting rod and in mm			
	52.5	60	82	100
	47.9	47.9	47.9	47.9
90°	75.6	81	96.5	111.3
95°	60.2	65.5	80.0	97.5
100°	56.7	61.6	75.0	89.5
105°	53.4	58.2	72.1	85.3
110°	50.5	55.1	68.5	81.3
115°	47.9	51.8	65.3	77.7
120°	45.3	48.5	62.0	74.4
125°	42.8	47.1	59.5	71.4
130°	40.7	44.9	57	68.6
135°	38.7	42.8	54.7	60
140°	34.7	38.5	39.5	50

WALL FIXING / COMPONENTS & ASSEMBLY

Components and assembly of the wall fixing



For glass/glass corner connectors for 10mm or 12mm tempered glass.

HB-180A-4

HB-180A-4 Available for more spanner
SUS 304 Stainless Steel
100



Use the tool for installation and backout
glass corner connector

ADJUSTABLE GLASS FITTINGS

Connection forms with original materials and glass-thickness references.

EPGF-GG-01



EPGF-GW-01



EPGF-GW-02



ADJUSTABLE GLASS FITTINGS

Connection forms with original materials and glass-thickness references.

EPGF-GG-01-DOUBLE



EPGF-GW-03



EPGF-GG-02



CONNECTION POINTS

Adjustable wall-glass fittings in application.



EPGF-GG-01

Adjustable wall-glass fitting

Material

SUS 304 Stainless Steel

Thickness

8-12mm Tempered glass

Finishes available

Satin Stainless Steel-SS9

Polished Stainless Steel-PS5

84



EPGF-GW-03

Adjustable wall-glass fitting

Material

SUS 304 Stainless Steel

Thickness

8-12mm Tempered glass

Finishes available

Satin Stainless Steel-SS9
Polished Stainless Steel-PS5

84



MULTI-POINT GLASS FITTINGS

Wall and base-mounted configurations with their matching source details.

EPGF-GF-01



EPGF-GF-01 Adjustable Wall Glass Fitting

Material	
SUS 304 Stainless Steel	
Thickness	
8-12mm Tempered glass	
Finishes available	Satin Stainless Steel-SSS
	Polished Stainless Steel-PSS

304



EPGF-GP-01



EPGF-GP-01 Adjustable Wall Glass Fitting

Material	
SUS 304 Stainless Steel	
Thickness	
8-12mm Tempered glass	
Finishes available	Satin Stainless Steel-SSS
	Polished Stainless Steel-PSS

304



MULTI-POINT GLASS FITTINGS

Wall and base-mounted configurations with their matching source details.

EPGF-GP-02



EPGF-GP-02 Adjustable Wall Glass Fitting

Material
SUS 304 Stainless Steel

Thickness
8-12mm Tempered glass

Finishes available	Satin Stainless Steel-SSS
	Polished Stainless Steel-PSS

304



EPGF-GF-01-DOUBLE



EPGF-GF-01-DOUBLE Adjustable Wall Glass Fitting

Material
SUS 304 Stainless Steel

Thickness
8-12mm Tempered glass


Finishes available	Satin Stainless Steel-SSS
	Polished Stainless Steel-PSS

304



A STRUCTURE OF CONNECTIONS

Multi-point fittings connect the glass assembly.



Original product photography and assembly details.

LET'S CONNECT

From Korea to your next project



STEEL AND CO.LTD

KOREA

ADDRESS

578, SEOLLEUNG- RO, GANGNAM/MG -GU, SEOUL,
SOUTH KOREA.

TEL

+821055864361

EMAIL

info@steeln.co.com

WEB

<https://steeln.co.com>